

RESPONSE TO RESTRICTION REQUIREMENT
AND ELECTION OF SPECIES REQUIREMENT
Appln. No. 10/034,959
Page 2 of 8

Amendments to the Claims

1. (Withdrawn)
2. (Withdrawn)
3. (Withdrawn)
4. (Withdrawn)
5. (Currently Amended) A device for securing a suture to a suture attachment site in a patient comprising:
 - a body having a suture entrance and a suture exit;
 - a motive suture delivery mechanism ~~disposed within~~ associated with said body; and
 - said motive suture delivery mechanism including a sensory feedback element indicative of delivery of said suture to said suture attachment site.
6. (Previously Presented) A device according to claim 5, wherein said sensory feedback element is an audible tone.
7. (Previously Presented) A device according to claim 6, wherein said audible tone is a changing audible tone.
8. (Previously Presented) A device according to claim 7, wherein said changing audible tone is generated by said motive suture delivery mechanism.
9. (Previously Presented) A device according to claim 8 wherein said motive suture delivery mechanism includes a battery powered motor.

RESPONSE TO RESTRICTION REQUIREMENT
AND ELECTION OF SPECIES REQUIREMENT
Appln. No. 10/034,959
Page 3 of 8

10. (Previously Presented) A device according to claim 5 wherein the body is sized and shaped to anchor the suture on a posterior portion of a patient's pubic bone.

11. (Previously Presented) A device according to claim 5, wherein said sensory feedback element is a visual indicator.

12. (Currently Amended) A device for securing a suture to a suture attachment site in a patient comprising:

a body having a suture entrance and a suture exit;

a motive suture delivery mechanism ~~disposed within~~ associated with said body;

said motive suture delivery mechanism including a sensory feedback element indicative of delivery of said suture to said suture attachment site;

wherein said sensory feedback element is a visual indicator, and

wherein said visual indicator includes cessation of twisting of said suture.

13. (Withdrawn)

14. (Withdrawn)

15. (Withdrawn)

16. (Withdrawn)

17. (Withdrawn)

18. (Cancelled)

RESPONSE TO RESTRICTION REQUIREMENT
AND ELECTION OF SPECIES REQUIREMENT
Appl. No. 10/034,959
Page 4 of 8

19. (Currently Amended) A device according to claim ~~1825~~, wherein the bone anchor includes is a bone screw or staple.
20. (Currently Amended) A device according to claim ~~1825~~, wherein said sensory feedback element is an audible tone.
21. (Previously presented) A device according to claim 20, wherein said audible tone is a changing audible tone.
22. (Currently Amended) A device according to claim 21, wherein said changing audible tone is generated by said ~~bone anchor~~ suture delivery mechanism.
23. (Currently Amended) A device according to claim ~~1825~~, wherein said sensory feedback element is a visual indicator.
24. (Cancelled)
25. (New) A device according to claim 5, wherein the suture is associated with a bone anchor.
26. (New) A device according to claim 25, wherein the bone anchor includes a screw or staple.
27. (New) A device according to claim 25, wherein the motive suture delivery mechanism is configured to deliver the bone anchor to a posterior portion of a patient's pubic bone.

RESPONSE TO RESTRICTION REQUIREMENT
AND ELECTION OF SPECIES REQUIREMENT
Appl. No. 10/034,959
Page 5 of 8

28. (New) A device according to claim 25, wherein the body is sized and shaped to deliver the suture and associated bone anchor to a posterior portion of a patient's pubic bone through vaginal incision.
29. (New) A device according to claim 12, wherein the suture is associated with a bone anchor.
30. (New) A device according to claim 12, wherein the motive suture delivery mechanism is configured to deliver the bone anchor and associated suture to a posterior portion of a patient's pubic bone.
30. (New) A device according to claim 29, wherein the body is sized and shaped to deliver the bone anchor and associated suture to a posterior portion of the patient's pubic bone through a vaginal incision and wherein the motive suture delivery mechanism includes a sensory feedback element indicative of delivery of the bone anchor and associated suture to the suture attachment site, the sensory feedback element being a visual indicator.
31. (New) A device according to claim 30, wherein the visual indicator includes a cessation of twisting of said suture.